Rockfon®

Part of the ROCKWOOL Group

Rockfon Color-all®

Datasheet



Rockfon Color-all®

- 34 exclusive colours for acoustic ceiling and wall solutions to inspire and enhance your interior design scheme
- Subtle yet playful colours made to mix and match either within the same room or in different areas of a building
- Total design freedom due to exposed, semi-concealed and concealed edges in a large variety of module sizes

Product Description

- Stone wool tile
- Visible side: smooth coloured, matt fleece
- Rear side: back fleece

Application Areas

- Industry
- Office
- Leisure
- Retail
- Education
- Healthcare

Edge detail	Module size (mm)	Approximate weight (kg/m²)	Recommended installation System
A15	600 x 600 x 15	2,2	Chicago Metallic™ T15 4070
		2,2	Chicago Metallic™ T15 Decorline 3700
A24	600 x 600 x 15	2,2	Chicago Metallic™ T24 3830
		2,2	Chicago Metallic™ T24 1812
E24	600 x 600 x 20	3,4	Chicago Metallic™ T24 3830
		3,4	Chicago Metallic™ T24 1812
X	600 x 600 x 22	3,7	Chicago Metallic™ T24 3830
		3,7	Chicago Metallic™ T24 1812

MS - Minimum Suspension
Rockfon Color-all Special is a bespoke colour matching service for both tiles and grids using NCS references.
For specific pricing and minimum quantities, please call for details.



Performance

Sound absorption
α_w: 0,95 (Class A)



Edge / Thickness (mm) / Suspension (incl. tile - mm)	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	α_w	Absorption class	NRC
A: 15 / 200	0.50	0.85	0.95	0.85	1.00	1.00	0.95	A	0.90
E: 20 / 200	0.45	0.85	0.95	0.90	1.00	1.00	0.95	A	0.95
X: 22 / 200	0.45	0.85	0.90	0.90	1.00	1.00	0.95	A	0.95

Reaction to fire
A1
Color-All Mercury: Class A2-s1,d0

Light reflection
Colour-dependent

Humidity and sag resistance
Up to 100% RH.
No visible deflection in high humidity
C/0N

Cleaning
- Vacuum

Hygiene
Stone wool provides no sustenance to microorganisms

Environment
Recyclable

Indoor environment
A selection of Rockfon products have been awarded the Finnish M1 emission classification for building materials and the Danish Indoor Climate Label for low emission products

Rockfon Color-all®

Mustard - 51
NCS S 2050-Y10R
Light reflection: 37%

Sand - 30
NCS S 2020-Y20R
Light reflection: 55%

Stucco - 20
NCS S 1505-Y30R
Light reflection: 70%

Scarlet - 71
NCS S 6030-Y80R
Light reflection: 8%

Coral - 76
NCS S 3040-Y90R
Light reflection: 22%

Seashell - 75
NCS S 1510-Y60R
Light reflection: 56%

Petal - 74
NCS S 1005-Y60R
Light reflection: 70%

Seaweed - 34
NCS S 8005-G20Y
Light reflection: 6%

Eucalyptus - 32
NCS S 6020-B90G
Light reflection: 12%

Sage - 31
NCS S 3010-G10Y
Light reflection: 34%

Mint - 12
NCS S 1005-G10Y
Light reflection: 70%

Space - 49
NCS S 7020-B
Light reflection: 5%

Storm - 48
NCS S 6020-R90B
Light reflection: 55%

Azure - 47
NCS S 3020-B
Light reflection: 34%

Fresh - 42
NCS S 2010-B10G
Light reflection: 51%

Earth - 25
NCS S 5010-Y50R
Light reflection: 22%

Clay - 26
NCS S 5005-G80Y
Light reflection: 22%

Linen - 22
NCS S 4005-Y50R
Light reflection: 29%

Sandalwood - 13
NCS S 2010-Y60R
Light reflection: 49%

Chalk - 21
NCS S 2005-Y40R
Light reflection: 51%

Ebony - 28
NCS S 8505-Y80R
Light reflection: 4%

Cork - 24
NCS S 4010-Y30R
Light reflection: 30%

Hemp - 23
NCS S 3005-Y20R
Light reflection: 45%

Iron - 18
NCS S 7502-B
Light reflection: 7%

Concrete - 06
NCS S 6000-N
Light reflection: 16%

Mastic - 17
NCS S 4000-N
Light reflection: 33%

Zinc - 05
NCS S 4005-R50B
Light reflection: 33%

Mercury - 62
NCS S 2502-B
Light reflection:44%

Charcoal - 09
NCS S 8500-N
Light reflection: 4%

Anthracite - 08
NCS S 7010-R90B
Light reflection: 7%

Gravel - 03
NCS S 3502-B
Light reflection: 34%

Plaster - 02
NCS S 2005-R80B
Light reflection: 58%

Stone - 01
NCS S 2000-N
Light reflection: 55%

Moon - 10
NCS S 1005-R80B
Light reflection: 75%

NCS codes are closest colour match. The actual colour of the ceiling tiles may deviate slightly from printed colours due to the texture of the surface and the underlying colour of stone wool. Samples of the coloured surfaces are available upon request.

Rockfon® is a registered trademark
of the ROCKWOOL Group.

05.2021 | All colour codes mentioned are based on the NCS - Natural Colour System®© property of and used on license from NCS Colour AB, Stockholm 2012 or the RAL colour standard. Subject to alterations in range and product technology without prior notice. Rockfon accepts no responsibility for printing errors.

Sounds Beautiful

Rockfon Singapore
ROCKWOOL Building Materials
(Singapore) Pte Ltd.
No. 7, Tuas Avenue 1
Jurong Town,
Singapore 639492
Tel: (+65) 6861 4722
Fax: (+65) 6862 3533
E-mail: enquiry@rockfon.com
www.rockfon.asia

Rockfon Hong Kong
ROCKWOOL Building Materials
(Hong Kong) Ltd.
Unit 301-2, 3/F, Koon Wah Building,
No.2 Yuen Shun Circuit,
Yuen Chau Kok, Shatin,
N.T., Hong Kong
Tel: (+852) 2576-6117
Mobile: (+852) 9161-7924
E-mail:enquiry@rockfon.com
www.rockfon.asia

Rockfon
ROCKWOOL Middle East FZE
Office 139, Building 6WB, DAFZA
P. O. Box 293585, Dubai, UAE

Tel: +971-4-214-6280
E-mail: rockfonme@rockfon.com
ae.rockfon.com

Rockfon
ROCKWOOL France S.A.S.
111, rue du Château des Rentiers
75013 Paris

Tel: +33 1 40 77 82 82
Fax.: +33 1 45 86 77 90
E-mail: info@rockfon.fr
www.rockfon.fr

Rockfon®