

DATASHEET

Rockfon Canva® Wall panel



Sounds Beautiful

Rockfon Canva® Wall panel

- Rockfon Canva Wall Panel is a versatile solution for improving acoustics in a variety of environments
- Size and print can be customised to suit the user's mood, room purpose, or brand preference
- Detachable, washable and replaceable canvas
- Choose from our 34 inspirational Colours of Wellbeing range or design your own graphic layout for that personal touch
- Panels arrive fully assembled, so installation is fast and easy
- High performing product with a long performance life
- Rockfon Canva is a design cooperation with Danish acoustic design company Akuart

Product Description

- Absorber: 40 mm stone wool absorber
- Frame: 61 mm powder coated matt aluminum frame
- Surface: printed textile

Application Areas

- Education
- Healthcare
- Leisure
- Office
- Retail

Module size (Width x Height x Depth) (mm)	Weight (kg/unit)
600 x 900 x 61	5,0
1200 x 900 x 61	8,5
1800 x 1200 x 61	14,5
2400 x 1200 x 61	18,5
3000 x 1200 x 61	22,5
900 x 1800 x 61	12,0
2400 x 1800 x 61	25,0

Frame depth is always 61 mm. Possibility to customize panel sizes on demand.

Minimum size (W x H): 600 x 600 mm


Maximum size: (W x H): 4000 x 1800 mm



Performance



Sound absorption
 α_w : 0,95 (Class A)



Thickness (mm) /
 Suspension (incl. tile - mm)

Thickness (mm) / Suspension (incl. tile - mm)	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	α_w	Absorption class	NRC
61 / 61	0.25	0.65	1.00	1.00	1.00	1.00	0.95	A	0.90



Reaction to fire
 B-s1,d0
 Based on EN 13501-1



Cleaning
 - Frame: Vacuum, damp cloth, and low pressure foam cleaning
 - Canvas: Vacuum, damp cloth, and washing in normal machine wash cycle up to 70 degrees



Hygiene
 Stone wool provides no sustenance to microorganisms



Impact resistance
 Rockfon Canva Wall Panel has been tested for impact resistance in accordance with EN 13964-Annex D and fulfills the Impact Resistance requirements for class 2A



Recyclability
 Fully recyclable stone wool




Indoor environment
 Rockfon ceiling products are classified in Class E1 in accordance with EN 13964 (EN 717-1).














Material Health
 All materials used in Rockfon products are screened against the technical checklist A20 and the list of substances restricted under REACH and do not contain substances of very high concern (SVHC). Rockfon stone wool fibres comply with safe fibre EU regulation and hold a EUCEB certification.


Frame colours



Canvas colours



Custom graphic options



Contact your local Rockfon partner to get your choice of image, artwork, graphic design or other visual layout on the canvas surface in high resolution quality print.

All standard colours are printed on the textile with a texture weave pattern. The Canva surface colours are close textile colour matches to the Rockfon Color-All products. Colours may vary slightly between different production batches. Reproduction of colours may vary between print and reality. Please note that black frames combined with light coloured canvas can create a shadow effect close to the Canva. Surface textile in 'Mercury' colour does not have a metallic appearance.

Wall panel: The Rockfon Canva textile has a "visual direction". This means that the colours might differ depending on whether the element is hung in vertical or horizontal orientation.

Sounds Beautiful

