


## DATASHEET

# **Rockfon Pacific®**



# **Rockfon Pacific®**

- Economical tile with standard surface
- Class B sound absorption with lightweight 12mm thickness
- Basic range of tile dimensions in semi-concealed and visible grid options
- Easy to clean with a vacuum

#### **Product Description**

- Stone wool tile
- Visible side: Nuanced white painted fleece
- Rear Side: back fleece

#### **Application Areas**

- Office
- Retail

Edge detail	Module size (mm)	Weight (kg/m²)	MS / MS easy access (mm)	Recommended installation system	Recycled content	Cradle to Cradle Certified®	A1-A3 Production stage impact (kg CO <sub>2</sub> eq/ m <sup>2</sup> )*	A1-C4 Full life cycle impact (kg CO <sub>2</sub> eq/ m <sup>2</sup> )*
A15	600 x 600 x 12 1200 x 600 x 12	1,6	50 / 100	Rockfon® System T15 A™  Rockfon® System T15 A™	34%	CERTIFIED (SILVER	1,46	1,86
A24	600 x 600 x 12 1200 x 600 x 12	1,6	50 / 100	Rockfon® System T24 A™  Rockfon® System T24 A™	34%	cradle to cradle	1,46	1,86
E15 <sup>56</sup>	600 x 600 x 12	1,9	60 / 100	Rockfon® System T15 E™	34%	CERTIFIED © Cradle to cradle	1,72	2,22
E24 <sup>S6</sup>	600 x 600 x 12	1,9	60 / 100	Rockfon® System T24 E™	34%	CERTIFIED  cradle to cradle  sitver	1,72	2,22

 $MS = Minimum \ suspension$ 

MS easy access = Minimum suspension - tiles demountable


<sup>\*</sup> For full environmental impact disclosure, see our product EPDs available on rockfon.link/cee-epd. Due to differences in calculation methods and scenario assumptions, environmental impact values are generally not directly comparable between manufacturers.



## **Performance**



Sound absorption  $\alpha_w$ : 0,80 (Class B)





### Reaction to fire





#### Humidity and sag resistance

Up to 100% RH.

No visible deflection in high humidity



#### Cleaning

- Vacuum



#### Hygiene

Stone wool provides no sustenance to microorganisms



#### Recyclability

Fully recyclable stone wool



#### Indoor environment

Rockfon ceiling products are classified in Class E1 in accordance with EN 13964 (EN 717-1). Rockfon ceiling products have a very low release of VOCs. A selection of Rockfon products have achieved the following performance levels and labels in indoor air emissions:







#### **Material Health**

All materials used in Rockfon products are screened against the technical checklist A20 and the list of substances restricted under REACH and do not contain substances of very high concern (SVHC). Rockfon stone wool fibres comply with safe fibre EU regulation and hold a EUCEB certification.

# **Sounds Beautiful**