

Rockfon® Metal **Perimeter Trim**

Infinity™ Standard Perimeter Trim

Infinity[™] R Perimeter Trim

Infinity™ Z Perimeter Trim

Infinity™ D Perimeter Trim
Infinity™ CDX / SCD Perimeter Trim





Specifications						
Suspension Type		Infinity Standard	R Reveal	Z Razor	D Drywall	CDX / SCD
Material	Extruded Aluminum	•	•	•	•	•
Surface	Painted on Exposed Surfaces	•	•	•		•
	Painted 360° (optional) Primed	•	•	•	•	•
Size	Heights:	2", 4", 6", 8", 10", 12"	4"	6"	4", 6"	6", 6" Razor
	Lengths: 12' Standard and Made to Order	12′	•	•	•	•
	Straight Curved to Minimum 18" Radius	•	•	•	•	•
Fire	Paired Option Class a: flame 0, smoke 0 Per ASTM E 84	•	•	•	•	•
Performance	Standard to Harsh Interior Environment	•	•	•	•	•
Suspension	9/16", 15/16", 1-3/8" Concealed Snap-Bar, Drywall, Linear	•	•	•	1-3/8"	15/16"
Warranty	1 Year Limited	•	•	•	•	•
Sustainability	100% Recycled Post Consumer Content, 100% Locally Recyclable	٠	•	•	•	٠

Popular Applications

Ideal for hospitals, hospitality, retail, airports, offices and schools. Create light coves, floating islands or accents.

Features

- Attractive pre-fabricated perimeters for acoustical and drywall construction.
- Variety of profiles and sizes standard, reveal, razor and drywall.
- Quick Ship, Standard and Engineered product offerings.
- Sturdy extruded aluminum for smooth, rust and distortion free perimeter.
- Integrates with standard grid and other ceiling systems.
- Available factory painted or ready for field painting.
- Contains no organic compounds to support mold and microbial growth.
- Straight or curved profiles can be curved.

For more detailed product information, submittals or specifications, refer to rockfon.com.

Infinity™



Infinity™ D




Infinity™ R Reveal



Infinity™ Z Razor



Infinity™ CDX / SCD Razor Profile



Infinity™ CDX / SCD Straight Standard Profile



04202022

Rockfon

4849 S. Austin Ave. Chicago, IL 60638 USA

Tel. +1-800-323-7164 cs@rockfon.com rockfon.com

