

Features & Benefits


- Finish edge trim for interior suspended ceiling perimeters
- Manufactured and finished in straight or curved lengths to designer specifications with square cut or mitered ends
- Variety of height and finish options available
- Integrates with Chicago Metallic® Ceiling Suspension, Rockfon Stone Wool Ceiling Panels, Rockfon Metal Ceiling systems and industry standard T-Bar grid

Applications

- Ceiling projections
- Free-floating islands
- Light coves
- Ceiling height transitions



Project – Madison Area Technical College, Madison, WI, USA
Product – Rockfon® Infinity™ Engineered



LEED® v4.1 Highlights

Materials and Resources (MR)

Waste Management Planning Interiors Life Cycle Impact Reduction Environmental Product Declarations Sourcing of Raw Materials Material Ingredients Waste Management Indoor Environmental Quality (EQ)

Low-Emitting Materials Interior Lighting Acoustic Performance







| Family Number | | Dimensions | | | | | Recycled |
|---|---------|------------|---------|----------------------|------------|---------|----------|
| & Name | Profile | Height | Flanges | Material | Fire Class | Low VOC | Content |
| Straight Infinity INFE:STD 252565 | | 2" | 3/4" | Extruded Aluminum | А | Yes | 85% |
| | | 4" | 3/4" | | | | |
| | | 6" | 3/4" | | | | |
| | | 8" | 3/4" | | | | |
| | | 10" | 3/4" | | | | |
| | | 12" | 3/4" | | | | |
| Curved Infinity* INFC:STD 252566 | | 2" | 3/4" | Extruded Aluminum | А | Yes | 85% |
| | | 4" | 3/4" | | | | |
| | | 6" | 3/4" | | | | |
| | | 8" | 3/4" | | | | |
| | | 10" | 3/4" | | | | |
| | | 12" | 3/4" | | | | |

Product Code Example:

INFC:STD:6":44:None

Family Number Height Color 44 INFC:STD Standard Satin Silver Curved Infinity

Engineered Product available as straight, curved or a combination of both.

Submittal drawings are required for all Engineered Infinity projects.

Unpainted galvanized grid clips, splices, and corner splices included on Engineered projects.



^{*} Minimum Radius on Curved Infinity is 18".

Infinity[™] Color Chart

Standard Colors: 08 888 White Black Satin Silver Winchester Grey **Premium Colors:** Color Custom Chart (Color Match) **Metalwood® Coordinating** Painted Finishes*: 405 406 401 402 403 404 Maple* Oak* Pumpkin Karri* Walnut* Cherry* Maple* Woodscenes® Painted Finishes†: 800 801 803 804 805 Aged Teak Sleek Cherry Weathered Oak Barnwood Lazy Maple Burnished

Cherry

- * Metalwood Woodgrain Finishes unavailable on Infinity products; use coordinating solid finish.
- † Woodscenes Woodgrain Finishes are a decorative powder coat finish that replicate real wood; variations in color and pattern will occur.

Note:


- Woodscenes Woodgrain Painted Finishes are applied parallel to the length of the trim.
- See rockfon.com for more information on color options.

Colors shown are reproduced as close as possible to actual product color within the limitations of printing technology. Color chips are available upon request and should be reviewed before making a final selection. Variations in color matches of system components to ceiling panels can result from slight differences in texture, room lighting, painting process and subjectivity of observers.



Grey

Profile Sizes - Available Straight or Curved




Compatibility

Infinity Engineered Straight Standard Profile and Infinity Engineered Curved Standard Profile are compatible with:

- Chicago Metallic® Ceiling Suspension systems
- Rockfon Metal Ceiling suspension systems
- Industry standard T-Bar grid systems

See datasheets of Chicago Metallic Ceiling Suspension systems and Rockfon Metal Ceiling systems for more information.



Chicago Metallic Grid Profiles

Accessories



414.00 Straight Splice Splices Perimeter Trim Sections 312033



430.00 Grid Clip Suspension to Trim 312035



417.00 Inside Corner Splice For Splicing at Inside Corners 249359



429.00 Outside Corner Splice For Splicing at Outside Corners 249360



446.36.000 Paired Infinity Bracket 2" for 3/4" Reveal 249545



446.46.00 Paired Infinity Bracket 3" for 1-3/8" Reveal 249546



End Cap for Paired Infinity (per order) 252595



Infinity to Concealed Panels (per order) 448.9xxx/252596



448.940 Infinity to Planar Clip 252596




448.00 Infinity to Planostile Clip 249369


| Grid Clip and Splice Plate Accessories Chart (accessories needed per Infinity Trim height - per 12' of Infinity Trim length) | | | | | | | | | | | |
|---|----------------------|----|----|----|-----|-----|--|--|--|--|--|
| | Infinity Trim Height | | | | | | | | | | |
| Accessory | 2" | 4" | 6" | 8" | 10" | 12" | | | | | |
| Grid Clip | | | | | | | | | | | |
| 430.00 | 6 | 6 | 6 | 6 | 6 | 6 | | | | | |
| Splice Plate - Square Cut Edge | | | | | | | | | | | |
| 414.00 | 1 | 2 | 2 | 2 | 3 | 3 | | | | | |
| Corner Splice Plate | | | | | | | | | | | |
| 417.00 - Inside | 1 | 2 | 2 | 2 | 3 | 3 | | | | | |
| 429.00 - Outside | 1 | 2 | 2 | 2 | 3 | 3 | | | | | |




Installation Details



Standard Installation for 2" - 8" Infinity




Installation for 10" and 12" Infinity



Concealed Panel Installation



Reflective Ceiling Plan Example



 $[\]mbox{^{*}}$ Field modify Corner Splice Plate to achieve desired angle greater than or less than 90°.





Material

Extruded Aluminum



Fire Performance

Surface burning characteristics: UL723 (ASTM E84) Flame Spread Index: 0 Smoke Developed Index (UL Labeled): 0



Environment

85% recycled content 100% locally recyclable



Warranty

1-Year Limited Product Warranty See rockfon.com



Hygiene

Metal provides no sustenance to microorganisms



Cleaning

Damp cloth

052622

Rockfon

4849 S. Austin Ave. Chicago, IL 60638 USA

Tel. +1-800-323-7164 cs@rockfon.com rockfon.com

2022 | Subject to alterations in range and product technology without prior notice. Rockfon accepts no responsibility for printing errors.
© ROCKWOOL International A/S 2018. All rights reserved.

[®] denotes a trademark that is registered in the United States of America.