

## Rockfon<sup>®</sup> Intaline<sup>™</sup> Round Base Baffle System

#### Products

- Metal baffle to mask plenum for interior spaces
- 100% random access to plenum
- Tee grid based system for ease of installation
- Variable and indexed baffle spacing option available

#### Applications

- Airports
- Passenger terminals
- Corridors
- Assembly halls
- Convention centers



Project – O'Hare International Airport's Terminal 5, Chicago, IL Product – Rockfon<sup>®</sup> Intaline<sup>™</sup> Round-Base Metal Baffles

#### Round Base Baffle System


#### LEED® v4.1 Highlights

#### Materials and Resources (MR)

Waste Management Planning Interiors Life Cycle Impact Reduction Environmental Product Declarations Sourcing of Raw Materials Material Ingredients Waste Management Indoor Environmental Quality (EQ) Low-Emitting Materials Interior Lighting Acoustic Performance

-

Recycled Content 85%



Family Number & Name	Product	Dimensions	Material	Fire Class	Low VOC	Recycled Content
252569 Round Base Baffle Panels	15/16" - 6" - 8" 10" 3/4" - O	Height 6", 8", 10" Length 144"	.032 Aluminum	А	Yes	85%

 Product Code Example:
 Family Number & Name:

 252569:INTR:IRB:8":44
 Size

 252569:INTR:IRB:8":44
 IRB:

 8":
 44

 Round Base
 Color:

 Satin Silver

Standard length is 12'. Available in lengths from 3' to 16'.



## **Round Base Baffle System**

#### **Suspension Systems**

Cubegrid Suspension Components							
	Product Number	Description	Duty Rating	Length	Slotting	Finish	
	C1800M08	HD Main Runner	Heavy Duty	12'	4' OC	Black	
1	C1800K08	HD Main Runner	Heavy Duty	12'	2' OC	Black	
	C1811M08	ID Main Runner	Intermediate Duty	12'	4' OC	Black	
	C1811K08	ID Main Runner	Intermediate Duty	12'	2' OC	Black	
1. 1	C1804M	4' Cross Tee	_	4'	None	Black	
	С1804К	4' Cross Tee	_	4'	Midpoint	Black	

Component Load Test Data					
		Hanger Spacing			
Main Tee	Length	ASTM C-635 4'	5'		
C1800	12'	Heavy Duty	8.9		
C1811	12'	Intermediate Duty	7.3		
Cross Tee	Length	4'	2'		
C1804	4'	16	*		

\*Suspension system for Intaline based on 1800 suspension grid system. Reference ICC-ES Evaluation Report ESR-2631 for testing information.



### **Round Base Baffle System**

#### **Perimeter Components and Accessories**


Perimeter Wall Angle						
Product	Catalog Number	Description	cription Unit of Measure			
	C3228.xx	1 " x 2" x 12' Wall Angle Painted 360 Degrees	PC	Steel		
	38.90.124.xxx	15/16" x 3/4" x 12' Wall Angle Finished Outside Only 300 Feet Per Carton	CTN	Aluminum		

Accessory Items						
Product	Catalog Number	Description	Unit of Measure	CTN Qty		
	38.40.921.008	Baffle Suspension Clip for 15/16" Grid - Black	CTN	100 pcs		
	38.40.923	Baffle Bottom Alignment Clip - Clear	CTN	50 pcs		
	38.20.922	Baffle Top Alignment Clip - Clear	CTN	100 pcs		



### **Round Base Baffle System**

Installation



Baffle Suspended with Baffle Attachment Clip



Baffle Parallel to Wall



Baffle Perpendicular to Wall



Baffle Installed with Infinity™



### Intaline<sup>™</sup> Baffle Color Chart

Standard Colors:	01 White	08 Black	44 Satin Silver	888 Winchester Grey		
Premium Colors:	Color Chart	RAL colours	Custom (Color Match)			
Metalwood® Coordinating Painted Finishes*:						
	401 Maple*	402 Oak*	403 Cherry*	404 Pumpkin Maple*	405 Karri*	406 Walnut*
Woodscenes® Painted Finishes†:	800	801	803	804	805	806
	Lazy Maple	Aged Teak	Burnished Cherry	Sleek Cherry	Weathered Oak	Barnwood Grey

\* Coordinating solid color to match Metalwood Woodgrain Finishes.

† Woodscenes Woodgrain Painted Finishes are a decorative powder coat finish that replicate real wood; variations in color and pattern will occur.

Colors shown are reproduced as close as possible to actual product color within the limitations of printing technology. Color chips are available upon request and should be reviewed before making a final selection. Variations in color matches of system components to ceiling panels can result from slight differences in texture, room lighting, painting process and subjectivity of observers.





#### **Rockfon<sup>®</sup> Intaline<sup>™</sup> Round Base Baffle System Properties**

#### Material

0.032" Aluminum



#### **Fire Performance**

Surface burning characteristics: UL723 (ASTM E84) Flame Spread Index: 0 Smoke Developed Index (UL Labeled): 0

#### Environment

Recycled content 85%. 100% locally recyclable.



#### Warranty

1-Year Limited Product Warranty See rockfon.com



#### **Hygiene** Metal provides no sustenance to microorganisms



**Cleaning** Damp cloth

120121

#### Rockfon

4849 S. Austin Ave. Chicago, IL 60638 USA

Tel. +1-800-323-7164 cs@rockfon.com rockfon.com

2021 | Subject to alterations in range and product technology

without prior notice. Rockfon accepts no responsibility for printing errors.

© ROCKWOOL International A/S 2018. All rights reserved.

<sup>®</sup> denotes a trademark that is registered in the United States of America.