

Features & Benefits

- Planks are constructed of recycled aluminum
- Hook-on design utilizes simple grid-based suspension with J-bar on cross tees
- Custom widths of 9" to 24" and in lengths of up to 120"
- Planks available in solid or perforated designs
- Hook-on design for downward accessibility without special tools
- Plank attributes may contribute to LEED® Certification project credits
- Perimeter gasket on two sides facilitates ease of plank removal, plank alignment and anti-vibration
- Enhanced acoustical performance with optional Acoutex[™] or glass fiber backing

Applications

- Schools
- Passenger terminals
- Corridors
- Convocation centers
- Stadiums



Project – 90 Elgin, Ottawa, Canada Product – Rockfon® Spanair® Hook-on

LEED[®] v4.1 Highlights

Materials and Resources (MR)

Interiors Life Cycle Impact Reduction Environmental Product Declarations Sourcing of Raw Materials Material Ingredients Waste Management


5


Interior Lighting Acoustic Performance



Spanair[®] Hook-on

Rockfon[®]







Rockfon® Spanair® Hook-on Panel System is suitable for use in Seismic Design Categories A-C only.

Custom panel sizes available - Contact Rockfon® for information


- * See the Rockfon Perforations Brochure for graphic representations of the perforations listed and the complete offering of Premium Perforations available.
- ** For designer specified Perforation, contact Rockfon Technical Services at 1-800-323-7164 or techservices@rockfon.com.
- *** NRC values are dependent on perforation patterns, plenum depth and acoustical backer options. Contact Rockfon Technical Services for more information at 1-800-323-7164 or techservices@rockfon.com.

Note :

- Acoutex[™] Backer standard with perforated panel.
- Perforated panel available without Acoutex.
- This system is not approved for exterior use.



Spanair[®] Color Chart



- * Coordinating solid color to match Metalwood Woodgrain Finishes.
- ** Metalwood Woodgrain Finishes unavailable on Infinity® products; use coordinating solid finish. See footnote*.
- Metalwood Woodgrain Finishes are a 0.008" vinyl laminate that replicate real wood; variations in color and pattern will occur. For final panel thickness information contact Rockfon Technical Services at 1-800-323-7164 or techservices@rockfon.com. For interior use only.
- † Woodscenes Woodgrain Painted Finishes are a decorative powder coat finish that replicate real wood; variations in color and pattern will occur.


Note:

- Metalwood Woodgrain Finishes and Woodscenes Woodgrain Painted Finishes are applied parallel to the length of the panel.
- See rockfon.com for more information on color options.

Colors shown are reproduced as close as possible to actual product color within the limitations of printing technology. Color chips are available upon request and should be reviewed before making a final selection. Variations in color matches of system components to ceiling panels can result from slight differences in texture, room lighting, painting process and subjectivity of observers.



Standard Perforation Options



See the Rockfon Perforations Brochure for graphic representations of the perforations listed and the complete offering of Premium Perforations available.

Acoustical Performance

| Spanair [®] Hook-on Panels | Hook-on Perforated Panels | | |
|---|---------------------------|--|--|
| NRC - Perforated with Acoutex [™] Backer | 0.70 | | |
| NRC - Perforated with 1-1/2" Acoustical Pad | 0.90 | | |



Suspension Components



| Detail | Description | Catalog Number | Duty Rating | Length | Height |
|-------------------------------------|----------------------------|----------------|-------------|--------|--------|
| Main Runners | | | | | |
| al at any | Main Runner – 12', HD | 10.00.400.000 | HD | 12' | 1-1/2″ |
| Cross Tees | | | | | |
| | 4' Tee with J-Bar Attached | 10.00.404.000 | N/A | 4' | 1-1/2" |
| 1 · · · · · · · · · · · · · · · · · | 4' Cross Tee – Standard | 10.00.414.001H | N/A | 4' | 1-1/2" |



Perimeter Components

| Detail | Description | Catalog Number | Length | Dimensions | |
|--------------------------------------|---|--------------------|---------|---|--|
| Wall Channel | | | | | |
| | Spanair Wall Channel 10' | 60.00.410.xxx | 10' | 1-5/16" x 3-5/16" x 15/16" | |
| | Spanair 3/4″ Reveal Edge Wall Channel | 60.00.411.xxx | 10′ | 1-5/16" x 3-5/16" x 15/16" | |
| | Wall Angle | | | | |
| | Spanair Wall Angle 10' | 60.00.412.xxx | 10' | 4-1/4" x 15/16" | |
| | Spanair Reveal Edge Wall Angle – 3/4″ Reveal | 60.00.413.xxx | 10' | 4-1/4" x 15/16" | |
| Infinity [™] Perimeter Trim | | | | | |
| | Engineered Straight Infinity | 252565 INFE:STD | 12' Max | Height 6", 8" 10" or 12" Length based on project requirements | |
| | Engineered Curved Infinity | 252566 INFC:STD | 12' Max | Height 6", 8" 10" or 12" Length based on project requirements | |

Wall Angle and Wall Channel available in Standard Painted, Premium Painted, Metallic, Metalwood®, and Woodscenes® Finishes.

Metallic Finishes are finished on outside only.

Infinity Perimeter trim available in Standard Painted, Premium Painted and Woodscenes finishes.

See the Infinity Data Sheet for additional information on Infinity Perimeter Trim.



Accessories



Acoustical Pads – Black Vinyl Wrapped

| Description | Catalog Number | Rockfon Reference Number |
|--------------------|----------------|-----------------------------|
| 2' x 2' - 1" x 1# | 58.01.059.008 | 250505 |
| 2' x 4' - 1" x 1# | 58.01.061.008 | 250507 |
| 2' x 2' 1.5" x 1# | 58.01.064.008 | 250509 |
| 2' x 4'- 1.5" x 1# | 58.01.063.008 | 250508 |

Hold Down Inserts

| Description | Material | Length | Catalog Number |
|---------------------------------------|----------|--------|-------------------|
| Hold Down Insert for Wall Angles | Aluminum | 11" | 60.00.031A |
| Hold Down Insert for Wall Channels | Aluminum | 11" | 60.00.031 |
| Hold Down Insert for Wall Channels | Aluminum | 22" | 60.11.430 |

Other Accessories



Infinity Attachment Clip 448.9xx Sized per Project



Wire Grid Spacer 60.00.021 #250526 for use with

Acoustical Pad



Perimeter Clip 1499.00 #251952



Seismic Perimeter Clip 1496.00 #250374





Material

0.040" Aluminum



X

Fire Performance

Surface burning characteristics: UL723 (ASTM E84) Flame Spread Index: 0 Smoke Developed Index (UL Labeled): 0

Environment

Up to 85% recycled content 100% locally recyclable



Hygiene

Metal provides no sustenance to microorganisms



Cleaning Damp cloth

Warranty 1 YEAR WARRANTY

1-Year Limited Product Warranty See rockfon.com

061021

Rockfon

4849 S. Austin Ave. Chicago, IL 60638 USA

Tel. +1-800-323-7164 cs@rockfon.com rockfon.com

2021 | Subject to alterations in range and product technology

without prior notice. Rockfon accepts no responsibility for printing errors. [®] ROCKWOOL International A/S 2018. All rights reserved.

[®] denotes a trademark that is registered in the United States of America.